

Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Viridor Waste Management Limited
Beddington Farmlands Landfill Site
105 Beddington Lane
Beddington
Croydon
Surrey
CR0 4TD

Variation application number

EPR/VP3039SW/V008

Permit number

EPR/VP3039SW

Beddington Farmlands Landfill Site

Permit number EPR/VP3039SW

Introductory note

This introductory note does not form a part of the notice.

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. Only the variations specified in schedule 1 are subject to a right of appeal.

The application is for the partial surrender of a small area of land in the south east of the permit boundary where operations have not commenced. The area of land is outside of the landfilling area and has never had any waste deposited on it.

The operator's registered address has been updated and some conditions have also been varied to update and clarify the permit at the Environment Agency's initiative.

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number

Status log of the permit		
Description	Date	Comments
Application received	Duly made 09/11/2004	Application for merchant landfill
Additional information received	15/06/2005	
Permit determined EPR/VP3039SW	09/11/2005	Permit issued to Viridor Waste Management Limited.
Variation determined EPR/VP3039SW/V002	19/02/2007	Agency initiated variation
Application EPR/VP3039SW/V003 (variation and consolidation)	Duly made 21/08/2008	Application to add Waste Validation Bay (reference CP3035GS)
Variation determined EPR/VP3039SW	23/04/2013	Varied permit issued as a consolidated permit.
Application EPR/VP3039SW/V004 (variation and consolidation)	Duly made 23/04/2013	Variation to change the location of the 'validation and transfer pad'
Variation determined EPR/VP3039SW	05/06/2013	Varied permit issued.
Application EPR/VP3039SW/V005 (variation)	Duly made 07/05/2015	Application to vary
Variation determined EPR/VP3039SW Billing ref: MP3639AS	28/08/2015	Varied permit issued.
Environment Agency Landfill Sector Review 2013 / 2014	21/12/2016	Varied and consolidated permit issued in modern condition format.

Status log of the permit		
Description	Date	Comments
Permit reviewed Variation determined EPR/VP3039SW/V006 Permit EPR/VP3039SW		
Application EPR/VP3039SW/V007	Duly made 27/11/2019	Variation to replace one of the 5 landfill gas engines, install a Methane Stripping Plant (MSP) for leachate treatment, construction of a waste recovery area for Phase 10 and approval of the restoration plan for the restoration layer
Confirmation of new registered office address	23/07/20	Request on behalf of Viridor group of companies
Additional information received	22/10/20	In relation to the Methane Stripping Plant (MSP), Odour Management Plan for the MSP.
Additional information received	30/10/20	In relation to engineering for Phase 10 and follow up questions in relation to the restoration layer
Additional information received	06/11/20	HRAR for Phase 10
Additional information received	16/11/20	GRA and SRA for Phase 10
Additional information received in response to Schedule 5 Notice 1 dated 15/12/20	19/01/21	Restoration Plan and confirmation that recovery of waste will take place with Landfill Directive inert waste only.
Additional information received in response to Schedule 5 Notice 2 dated 11/02/21	23/03/21	Restoration Plan
Additional information received in response to Schedule 5 Notice 3 dated 05/05/21	09/06/21	Restoration Plan v3 and additional questions in relation to the restoration layer
Additional information received	29/07/21	Phase 10 recovery area and restoration layer
Variation determined EPR/VP3039SW/V007 Billing ref: XP3807PB	26/11/21	Issued to Viridor Waste Management Limited
Application EPR/VP3039SW/V008	Duly made 12/03/21	Partial surrender of a small area of land to the south-east of the site where operations have not commenced.
Variation determined EPR/VP3039SW/V008 Billing ref: XP3803MN	17/12/21	Issued to Viridor Waste Management Limited

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies and consolidates

Permit number

EPR/VP3039SW

Issued to

Viridor Waste Management Limited (“the operator”)

whose registered office is

**Viridor House
Priory Bridge Road
Taunton
TA1 1AP**

company registration number 00575069

to operate a regulated facility at

**Beddington Farmlands Landfill Site
105 Beddington Lane
Beddington
Croydon
Surrey
CR0 4TD**

to the extent set out in the schedules.

The notice shall take effect from 17/12/21

Name	Date
Philip Lamb	17/12/2021

Authorised on behalf of the Environment Agency

Schedule 1

The following condition was varied as a result of the application made by the operator:

Schedule 7 site plan updated as referenced in condition 2.2.1.

The following condition was varied as a result of an Environment Agency initiated variation:

Table S1.4 as referred to by condition 2.5.1 – text of pre-operational condition 6/21 amended to refer to pre-operational condition 5/21.

Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/VP3039SW

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/VP3039SW/V007 authorising,

Viridor Waste Management Limited (“the operator”),

whose registered office is

**Viridor House
Priory Bridge Road
Taunton
TA1 1AP**

company registration number 00575069

to operate an installation at

**Beddington Farmlands Landfill Site
105 Beddington Lane
Beddington
Croydon
Surrey
CR0 4TD**

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Philip Lamb	17/12/2021

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Finance

- 1.2.1 The financial provision for meeting the obligations under this permit set out in the agreement made between the operator and the Environment Agency dated 26 November 2021 shall be maintained by the operator throughout the subsistence of this permit and the operator shall produce evidence of such provision whenever required by the Environment Agency.
- 1.2.2 The operator shall ensure that the charges it makes for the disposal of waste in the landfill cover all of the following:
- (a) the costs of setting up and operating the landfill;
 - (b) the costs of the financial provision required by condition 1.2.1; and
 - (c) the estimated costs for the closure and aftercare of the landfill.

1.3 Energy efficiency

- 1.3.1 The operator shall:
- (a) take appropriate measures to ensure that energy is used efficiently in the activities;
 - (b) Review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
 - (c) Implement any appropriate measures identified by a review.

1.4 Efficient use of raw materials

- 1.4.1 The operator shall:
- (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
 - (b) maintain records of raw materials and water used in the activities;
 - (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
 - (d) take any further appropriate measures identified by a review.

1.5 Avoidance, recovery and disposal of wastes produced by the activities

1.5.1 The operator shall:

- (a) take appropriate measures to ensure that waste produced by the activities is avoided or reduced, or where waste is produced it is recovered wherever practicable or otherwise disposed of in a manner which minimises its impact on the environment;
- (b) review and record at least every four years whether changes to those measures should be made; and
- (c) take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the “activities”).

2.2 The site

2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

2.3 Operating techniques

2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.

2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation (“plan”) specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.

2.4 Improvement programme

2.4.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.

2.4.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

2.5 Pre-operational conditions

2.5.1 The operations specified in schedule 1 table S1.4 shall not commence until the measures specified in that table have been completed.

2.6 Landfill Engineering

- 2.6.1 No construction of any new cell of the landfill shall commence until the operator has submitted construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- 2.6.2 Where the operator proposes to construct any new cell other than the first cell, but proposes no change from the design of the most recently approved cell which could have any impact on the performance of any element of the design, no construction of the new cell shall commence until the operator has submitted a cell layout drawing and the Environment Agency has confirmed that it is satisfied with the cell layout drawing.
- 2.6.3 The construction of a new cell shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or
 - (b) a change has otherwise been agreed in writing by the Environment Agency.
- 2.6.4 No disposal of waste shall take place in a new cell until the operator has submitted a CQA Validation Report and the Environment Agency has confirmed that it is satisfied with the CQA Validation Report.
- 2.6.5 No construction of landfill infrastructure shall commence until the operator has submitted relevant construction proposals or a written request to use previous construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- 2.6.6 The construction of the landfill infrastructure shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or
 - (b) a change has otherwise been agreed in writing by the Environment Agency.
- 2.6.7 The operator shall submit a CQA Validation Report within four weeks of the completion of the construction of the relevant landfill infrastructure, or other time period agreed in writing with the Environment Agency.
- 2.6.8 Where pollution controls are immediately necessary to prevent an incident or accident, then conditions 2.6.5 and 2.6.6 do not apply and the relevant landfill infrastructure may be constructed, provided that the construction proposals are submitted to the Environment Agency as soon as practicable.
- 2.6.9 For the purposes of conditions 2.6.1, 2.6.2, 2.6.4 and 2.6.5, the Environment Agency shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the relevant construction proposals or CQA Validation Report, either:
- (a) confirmed whether or not it is satisfied; or
 - (b) informed the operator that it requires further information.
- 2.6.10 Where the Environment Agency has required further information under condition 2.6.9(b), the Environment Agency shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the further information, either:
- (a) confirmed whether or not it is satisfied; or
 - (b) informed the operator that it requires further information.

2.7 Site Engineering for the Phase 10 deposit for recovery area

- 2.7.1 (a) No construction of site engineering in the area for waste deposit for recovery shall commence until the operator has submitted construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- (b) The operator shall review the construction proposals every 6 months.
- 2.7.2 The construction of site engineering in the area for waste deposit shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or all the approved waste acceptance procedures have been completed; or
- (b) a change has otherwise been agreed in writing by the Environment Agency.
- 2.7.3 The operator shall prepare a CQA Validation Report to cover every 6 month period of construction of the area for deposit. The operator shall submit the CQA validation report to the Environment Agency within 4 weeks of the completion of the works.
- 2.7.4 No waste shall be recovered in the area for waste deposit until the operator has submitted a CQA Validation Report and the Environment Agency has confirmed that it is satisfied with the CQA Validation Report.
- 2.7.5 No construction of site infrastructure shall commence until the operator has submitted relevant construction proposals or a written request to use previous construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- 2.7.6 The construction of the site infrastructure shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or
- (b) a change has otherwise been agreed in writing by the Environment Agency.
- 2.7.7 The operator shall submit a CQA Validation Report within 4 weeks following the construction of the site infrastructure.
- 2.7.8 Where pollution controls are immediately necessary to prevent an incident or accident, then conditions 2.7.4 and 2.7.5 do not apply and the relevant site infrastructure may be constructed, provided that the construction proposals are submitted to the Environment Agency as soon as practicable.
- 2.7.9 For the purposes of conditions 2.7.1, 2.7.4 and 2.7.6, the Environment Agency shall be deemed to be satisfied where it has not, within the period of 4 weeks from the date of receipt of the relevant construction proposals or CQA Validation Report, either:
- (a) confirmed whether or not it is satisfied; or
- (b) informed the operator that it requires further information.
- 2.7.10 Where the Environment Agency has required further information under condition 2.7.9(b), the Environment Agency shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the further information, either:
- (a) confirmed whether or not it is satisfied; or
- (b) informed the operator that it requires further information.

2.8 Waste acceptance

2.8.1 Wastes shall only be accepted for disposal if:

- (a) they are listed in schedule 2, table S2.1 and
- (b) they are non-hazardous waste, and
- (c) they are not whole used tyres (other than bicycle tyres and tyres with an outside diameter of more than 1400mm), and
- (d) they are not shredded used tyres, and
- (e) they are not liquid waste (including waste waters but excluding sludge), and
- (f) they are not chemical substances from research and development or teaching activities, for example laboratory residues, which are unidentified and/or which are new and whose effects on man and/or the environment are unknown, and
- (g) all the relevant waste acceptance procedures have been completed, and
- (h) they fulfil the relevant waste acceptance criteria, and
- (i) they have not been diluted or mixed solely to meet the relevant waste acceptance criteria, and
- (j) they are wastes which have been treated, except for: inert wastes for which treatment is not technically feasible; or it is waste other than inert waste and treatment would not reduce its quantity or the hazards which it poses to human health or the environment, and
- (k) they are wastes with a code beginning with 07 05 and 16 03, they shall exclude waste medicinal products and pharmaceutically active waste materials arising from their manufacture, and
- (l) they are not waste paper, metal, plastic or glass if that waste has been separately collected for the purpose of preparing for re-use or recycling.

2.8.2 For the following activities referenced in schedule 1, table S1.1 (A2), waste shall only be accepted for treatment if:

- (a) it is of a type and quantity listed in schedule 2, table S2.2 and
- (b) it conforms to the description in the documentation supplied by the producer and holder.

2.8.3 Wastes shall only be accepted for the Phase 10 recovery area and restoration where:

- (a) they are listed in schedule 2, table S2.3 and
- (b) they are accepted in accordance with a restoration plan approved in writing by the Environment Agency.

2.8.4 For the following activities referenced in schedule 1, table S1.1 (A1, A9 and A10), gypsum-based and other high sulphate bearing waste shall not be deposited in cells used or intended to be used for the disposal of biodegradable non-hazardous waste. Wastes disposed of in a cell with gypsum-based and other high sulphate bearing wastes must meet the relevant waste acceptance criteria.

2.8.5 The operator shall:

- (a) visually inspect without unloading it, waste that is not in an enclosed container or enclosed vehicle on arrival at the landfill and waste at the point of deposit; and
- (b) be satisfied that the waste conforms to the requirements of condition 2.8.1.

2.8.6 Where the operator has taken samples to establish that the waste is in conformity with the documentation submitted by the holder then the samples taken shall be retained for at least one month and results of any analysis for at least two years.

2.8.7 The operator on accepting each delivery of waste shall provide a receipt to the person delivering it.

- 2.8.8 The total quantity of waste that shall be deposited or recovered in the landfill shall be limited by the pre-settlement levels shown on drawing ESID4A.
- 2.8.9 The quantity of waste that is disposed of or recovered in the landfill in any year shall not exceed the limits in schedule 1 table S1.5.
- 2.8.10 The operator shall maintain and implement a system which ensures that a record is made of the quantity, characteristics, date of delivery and, where practicable, origin of any waste that is received for disposal or recovery and of the identity of the producer, or in the case of municipal waste and multiple collection vehicles, of the collector of such waste. Any information regarded by the operator as commercially confidential shall be clearly identified in the record.

2.9 Leachate levels

- 2.9.1 The limits for the level of leachate listed in schedule 3 table S3.1 shall not be exceeded.

2.10 Closure and aftercare

- 2.10.1 The operator shall maintain a closure and aftercare management plan.

2.11 Landfill gas management

- 2.11.1 The operator shall take appropriate measures, including, but not limited to, those specified in any approved landfill gas management plan, to:
- (a) collect landfill gas; and
 - (b) control the migration of landfill gas.
- 2.11.2 The operator shall use the collected landfill gas to produce energy. If the collected landfill gas cannot be used to produce energy, the operator shall use appropriate measures to flare or treat the gas in accordance with an approved landfill gas management plan.

3 Emissions and monitoring

3.1 Emissions to water, air or land

- 3.1.1 The limits in Schedule 3 shall not be exceeded.
- 3.1.2 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 tables S3.2 and S3.3.
- 3.1.3 The limits given in schedule 3, table S3.2 shall not be exceeded, save that compliance with the emission limits in that table shall include incorporation of the uncertainty allowance stated in guidance;
- (a) for engines LGE1 (1), LGE3 (3), LGE4 (4) and LGE5 (5), LFTGN08,
 - (b) for engine MCP LGE2 (2), monitoring stack emissions: maximum uncertainty for periodic monitoring,
 - (c) for all flares, LFTGN05.
- 3.1.4 The operator shall prevent the input of any hazardous substances from the activities into groundwater.
- 3.1.5 The operator shall submit to the Environment Agency a review of the Hydrogeological Risk Assessment:
- (a) between nine and six months prior to the fourth anniversary of the granting of the permit, and

- (b) between nine and six months prior to every subsequent six years after the fourth anniversary of the granting of the permit.

3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
 - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

- 3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.
- 3.3.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;
 - (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.4 Noise and vibration

- 3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.
- 3.4.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
 - (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Monitoring

- 3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring and any other actions specified in the following tables in schedule 3 to this permit:
- (a) Leachate specified in tables S3.1 and S3.11;
 - (b) Point source emissions specified in tables S3.2, S3.3 and S3.6;
 - (c) Groundwater specified in tables S3.4 and S3.9;
 - (d) Landfill gas specified in tables S3.5, S3.8 and S3.10;
 - (e) Surface water specified in table S3.12; and
 - (f) Particulate matter specified in table S3.7.
- 3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.5.3 A topographical survey of the site referenced to ordnance datum shall be carried out and shall be used to produce a plan of a scale adequate to show the surveyed features of the site:
- (a) annually, and
 - (b) prior to the disposal of waste in any new cell or new development area of the landfill and recovery area, and
 - (c) following closure of all or part of the landfill and recovery area.

3.6 Pests

- 3.6.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.
- 3.6.2 The operator shall:
- (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution hazard or annoyance from pests;
 - (b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

4 Information

4.1 Records

- 4.1.1 All records required to be made by this permit shall:
- (a) be legible;
 - (b) be made as soon as reasonably practicable;
 - (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
 - (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:

- (i) the results of groundwater monitoring;
- (ii) sub-surface landfill gas monitoring;
- (iii) leachate levels, quality and quantities;
- (iv) landfill gas generation and collection;
- (v) waste types and quantities;
- (vi) the specification and as built drawings of the basal, sidewall and capping engineering systems.

4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

4.2.1 The operator shall send reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.

4.2.2 For the following activities referenced in schedule 1, table S1.1 (A10), within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

4.2.3 A report or reports on the performance of the activities over the previous year ('the annual report') shall be submitted to the Environment Agency by 31st January each year or such other date as may be agreed in writing by the Agency, with the exception of 4.2.2(c) that must be provided by the end of February each year. The report(s) shall include as a minimum:

- (a) a review of the results of the monitoring and assessment carried out in accordance with this permit against the relevant assumptions, parameters and results in the risk assessments submitted in relation to this installation and any agreed amendments thereto. The review will include written descriptions of the improvements made to operational performance during the year, action plans developed and planned improvements for the coming year;
- (b) the energy consumed at the site, reported in the format set out in schedule 4 table S4.3
- (c) the annual production/treatment set out in schedule 4 table S4.2;
- (d) the topographical surveys required by condition 3.5.3 other than those submitted as part of a CQA validation report;
- (e) the volumetric difference (reported in cubic metres) between the most recent topographical survey and the previous annual topographical survey i.e. the additional volume of the landfill void that is occupied by waste;
- (f) an assessment of the settlement behaviour of the landfill body based on the difference between the most recent topographical survey and previous annual topographical survey for the areas of the landfill which did not receive waste between the surveys;
- (g) a calculation of the remaining capacity (reported in cubic metres) derived from the pre-settlement contours and the most recent topographical survey;
- (h) a plan(s) ('the monitoring and extraction point plan – MEPP') showing the locations of leachate and landfill gas extraction and all monitoring points.

4.2.4 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:

- (a) in respect of the parameters and emission points specified in schedule 4 table S4.1;

- (b) using the forms specified in schedule 4 table S4.4 or other reporting format as agreed in writing with the Environment Agency; and
- (c) giving the information from such results and assessments as may be required by the forms specified in those tables.

4.2.5 Within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

4.2.6 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.

4.3 Notifications

4.3.1 In the event:

- (a) that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
 - (i) inform the Environment Agency;
 - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident; and
 - (iii) take the measures necessary to prevent further possible incidents or accidents.
- (b) of a breach of any permit condition the operator must immediately—
 - (i) inform the Environment Agency; and
 - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time.
- (c) of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.

4.3.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

4.3.3 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

4.3.4 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

- (a) the Environment Agency shall be notified at least 14 days before making the change; and
- (b) the notification shall contain a description of the proposed change in operation.

4.4 Interpretation

4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.

4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made “immediately”, in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1 activities				
Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
A1	D5 –Specially engineered landfill	Section 5.2 Part A(1) (a) , The disposal of waste in a landfill.	Landfill for non-hazardous waste	Receipt, handling, storage and disposal of wastes, consisting of the types and quantities specified in condition 2.8, as an integral part of landfilling.
A2	D8 – Physico-chemical treatment of waste	Section 5.4, Part A(1)(a)(i), Physico-chemical treatment of non-hazardous waste	Treatment of leachate in a facility with a capacity of >50 tonnes/day	Leachate arising from the landfill and contaminated surface water runoff from adjacent Waste Recycling Area permitted under EPR/FB3804XU/T001.
Directly Associated Activities				
A3	N/A		Leachate management Leachate collections and pumping to storage tank prior to off-site disposal to sewage treatment works.	Leachate arising from the landfill and waste validation bay.
A4	R1 – use principally as a fuel to generate energy		Pre-treatment and utilisation of landfill gas for energy recovery in an appliance with a rated thermal input <50MW	Treatment and utilisation of landfill gas arising from the landfill.
A5	N/A		Flaring of landfill gas for disposal in an appliance.	Landfill gas arising from the landfill.
A6	D6 – release to water body except seas/ oceans		Discharges of site drainage from the landfill.	From surface water management system to point of entry to controlled waters.
A7	N/A		Storage of fuel for operation of plant and equipment.	Fuel storage tank to use in the operation of plant and equipment.
A8	N/A		Waste validation bay	Storage and sorting of waste to remove contraries

Table S1.1 activities				
Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
A9	R5: Recycling/ reclamation of other inorganic material	-	Recovery of waste for restoration	The use of wastes in table S2.3 only to provide restoration material for the permitted landfill in accordance with the approved restoration plan. Maximum amount of waste accepted for activity ref A9 and A10 in total is 553,500m3.
Waste operations				
Specified activity and WFD Annex I and II operations			Activity description and limits of specified activity	
A10	R5: Recovery of waste for restoration		The deposit of waste as a recovery activity in accordance with the approved recovery plan – Beddington Restoration Plan v2 June 2021 in the Phase 10 Recovery Area only. The use of wastes in table S2.3 only in accordance with the approved restoration plan. Maximum amount of waste accepted for activity ref A9 and A10 in total is 553,500m3.	

Table S1.2 Operating techniques		
Description	Parts	Date Received
Application	All parts, except the responses to questions B2.1.5 (waste types), B2.2.42 (groundwater monitoring points – control and trigger levels) and B2.2.52 (perimeter landfill gas monitoring) in Part B of the application form.	09/11/2004
Response to request for further information dated 25/05/05	All	15/06/2005
Variation application EPR/VP3039SW/V003	Response in 'Part C of application form, Section 2 – Site Operations and Section – 3 Pollution Control, Monitoring and Reporting (Environment)	21/08/2008
Variation application EPR/VP3039SW/V004	Response in Part C2 and C3 of application forms, supporting documents (Appendix 1, 2 and 3) and Drawing Ref: BTN91 - BTN94.	30/01/2013
Variation application EPR/VP3039SW/V005	Hydrogeological Risk Assessment Review SLR Ref: 402-00036-00678 January 2015. Excluding :- <ul style="list-style-type: none"> • 2.1.3 – Leachate recirculation • 4.1.1 – Number of monitoring Wells in Phases 8 & 9 in particular the timescale proposed for replacing leachate wells. • 4.1.2 - Leachate level compliance limits in particular page 14 'temporary leachate storage' 	03/03/2015
Variation application EPR/VP3039SW/V005	Beddington Action Leachate Action Plan Version 2.0 30/09/2014.	03/03/2015
Variation application EPR/VP3039SW/V005	Letter from SLR on behalf of Viridor ref: 401.00036.00678_DJ1 Table 1-2 Beddington Landfill leachate abstraction and monitoring points	14/07/2015
Variation application EPR/VP3039SW/V005	Letter from SLR on behalf of Viridor regarding Leachate compliance reference 402-00036-00678.	13/08/2015
Variation application EPR/VP3039SW/V005	Air Quality Assessment Report ref: ST17403/Final dated May 2019 ODMP Addendum ref ST1743/ODMP Final V1.0 dated July 2019 produced by Wardell Armstrong for the Methane Stripping Plant - excluding the information about the Phase 10 recovery area (which is superseded by the Restoration Plan v2).	29/11/2019
Response to request for additional information dated	Beddington Methane Stripping Plant Surface Water Pollution Risk Assessment for Discharge of treated effluent to sewer. Ref: VBBM(A). SLR Ref: 410.00036.00944. Version No FINAL. Sep 2020.	30/09/2020

Table S1.2 Operating techniques		
Description	Parts	Date Received
Response to Request for Information dated 24/06/2020	Odour Management Plan for the Methane Stripping Plant v1.1	22/10/2020
Response to Request for Information dated 03/08/2020	Hydrogeological Risk Assessment Review (HRAR) Reference 19125348.616/B.0, produced by Golder Associates (UK) Ltd	06/11/2020
Response to Request for Information dated 03/08/2020	Technical Memorandum – Review of the waste gassing potential for Phase 10 Beddington Farmlands Landfill. Ref: 19125348.617/A.0 6Nov20, produced by Golder Associates (UK) Ltd	16/11/2020
Response to Request for Information dated 03/08/2020	Stability Risk Assessment report. Ref: 19125348.617/B.0. Phase 10 Development, Beddington Farmlands Landfill Site, produced by Golder Associates (UK) Ltd.	16/11/2020
Landfill Gas Management Plan, Beddington Landfill Site, Environmental Permit VP3039SW version 5, reference VIR-PWG-OPS-FO-039 published: 08/02/2021	All including: Section 1 – Introduction Section 2 – Gas Management roles and responsibilities Section 3 – Competence and Training Section 4 – Landfill Gas Monitoring Plan Section 5 – Gas Action Plans - specified scenarios.	10/03/21
Beddington Landfill Site Monitoring Schedule – Permit VP3039SW, version 5, reference VIR-PWG-OPS-FO-040, published 08/02/2021	All including: Section 1 - Current Landfill Gas (LFG) collection infrastructure Section 2 – Existing LFG Treatment Measures Section 3 – Perimeter Borehole Monitoring Section 4 – Additional Process Monitoring	10/03/21
Response to Schedule 5 Notice 3 dated 05/05/2021	Technical Memorandum titled Response to request for information dated 05/05/2021 relating to EPR/VP3039SW/V007 ref: 19125348.622 B.0 dated 09.06.21 produced by Golder Associates (UK) Ltd: In relation to the Phase 10 recovery area: Design of separation bunds and leachate heads for adjacent phases; Leachate head limits for Phases 1A and 1B; and Water balance info for Phase 10. Base elevations of Phase 10 adjacent to Phases 4 and 1 Waste Acceptance Criteria for Phase 10	09/06/2021

Table S1.2 Operating techniques		
Description	Parts	Date Received
	Excluding design of toe drain, sampling and monitoring requirements, discharge limits and the use of tyre bales as part of the drainage system.	
Gas Operating Standards Manual v3 ref: VIR-PWG-OPS-MAN-001	All	28/07/21
Response to Schedule 5 Notice 3 dated 05/05/2021	<p>Restoration Plan Beddington Landfill Site v2 June 2021 excluding table S3.3 (Verification testing).</p> <p>Note: References in the Restoration Plan to the Council Decision which limits the acceptance of waste for recovery at the site to that meeting the inert Waste Acceptance Criteria are incorrectly referenced in section 3.3.8 and section 3.10.6. The Council Decision which includes the inert Waste Acceptance Criteria is 2003/33/EC.</p> <p>The limitation on the waste acceptance criteria in the Restoration Plan v2 takes precedence over waste acceptance criteria in other Operating Techniques.</p>	23/09/2021

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
1	The operator shall install the perimeter gas monitoring wells to complete the network as proposed by the 'construction and quality assurance plan for perimeter gas monitoring wells and replacement of groundwater well GW28A' dated March 2016. Following installation the operator shall undertake 12 continuous months of monitoring (to account for any seasonal fluctuations in gas production levels) and propose (for approval in writing) action and intervention levels based on the Industry Code of Practice (ICoP) on landfill gas management.	Completed as part of variation application V007.
2	The operator shall submit to the Environment Agency in writing for approval a restoration plan for the site which includes waste quantities, waste types, and waste acceptance criteria for wastes for restoration (2.7.2).	Completed as part of variation application V007.

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
3/2021	The operator shall update the Site Conceptual Model (SCM) and submit to the Environment Agency for technical assessment and approval. The SCM shall be updated to take account of the new information acquired from the construction of the gas monitoring boreholes, nos. IBF051GM to IBF058GM, detailing the sub-strata and subsurface conditions recorded in the borehole logs; also the groundwater levels; and takes into account the changes regarding the Phase 10 recovery area. The updated SCM should be described and explained supported by updated plans and cross sections drawn to an appropriate scale. The locations of adjacent off-site activities that could produce gas such as areas containing sludge etc. should be clearly indicated on the plans and cross sections.	26/05/22
4a/2021	<p>The operator shall investigate the use of lower limits of detection (LODs) for Benzo(a)pyrene, Di (2- ethyl hexyl)phthalate and Tributyltin (substances which did not screen out of the original H1 assessment) – which are at or close to the Environment Agency’s National Laboratory Services (NLS) LODs – for analysis of the effluent stream from the Methane Stripping Plant Leachate Treatment Plant (LTP).</p> <p>The operator shall carry out additional monitoring of the effluent based on 12 months of consecutive monthly monitoring using the updated LODs and also background monitoring. [If following 6 months of monitoring of the effluent - the analytical results of all of the above substances are below the new LODs the Environment Agency may accept this as an adequate amount of additional monitoring.]</p>	26/11/22
4b/2021	<p>Following the additional monitoring data collected in accordance with improvement condition reference 4a above the operator shall use the results to update the H1 risk assessment for Benzo(a)pyrene, Di (2- ethyl hexyl)phthalate and Tributyltin and the updated H1 risk assessment shall be submitted in writing to the Environment Agency for technical assessment and approval.</p> <p>Where substances do not screen out of the H1 risk assessment as not significant, the report shall include actions to carry out further modelling if required and as part of the H1 risk assessment report the operator shall propose compliance limits for inclusion in the permit as necessary for Environment Agency technical assessment and approval.</p>	26/02/23

Table S1.4 Pre-operational measures for future development		
Reference	Operation	Pre-operational Measures
1 (was 1C3)	Capping and final restoration	<p>Prior to commencement of final capping and restoration in any phase of the site the operator shall submit to the Agency for approval an assessment of the stability of Phase 2 to demonstrate that this part of the landfill will be stable in the long term.</p> <p>This pre-operational condition is complete, date 12/03/2007</p>
2 (was IC5a and IC5b)	Waste deposit adjacent to proposed landfill gas monitoring boreholes.	<p>The operator shall install the proposed landfill gas monitoring boreholes shown on drawing no. ESID8 entitled 'Landfill Gas Management' at least 6 months prior to landfilling occurring adjacent to them in order that background monitoring data can be collected. The operator shall submit to the Environment Agency a report detailing the proposed landfill gas monitoring boreholes locations, design and construction in accordance with condition 2.6.</p> <p>This pre-operational condition is complete dated 19/07/2016</p>
3/2021	Commencement of waste deposit in Phase 10 recovery area	<p>Prior to the deposit of waste in Phase 10, the operator shall submit proposals to the Environment Agency for technical assessment and approval for the design of the attenuation layer on the base of the site in accordance with 'LFE Earthworks on landfill sites', to ensure that this is a uniform basal profile at an appropriate gradient to provide leachate drainage from west to east towards the leachate collection drain.</p> <p>The proposals shall be submitted in accordance with the engineering requirements of conditions 2.7.5 – 2.7.10.</p>
4/2021	Commencement of waste deposit in Phase 10 recovery area	<p>Prior to the deposit of waste in Phase 10, the operator shall submit proposals to the Environment Agency for technical assessment and approval for the design of the engineered water collection drain to collect and transport the water / leachate to the location where it is discharged to the existing leachate collection system of Phases 4 and 5 or the point at which it is discharged to the wetland area.</p> <p>The proposals shall be submitted in accordance with the engineering requirements of conditions 2.7.5 – 2.7.10.</p> <p>Following approval the engineered water collection drain shall be installed, and this shall be confirmed to the Environment Agency.</p>
5/2021	Discharge of water to the wetland area adjacent to Phase 10	<p>Prior to the discharge of water collected by the engineered water collection drain during the operational phase of Phase 10, the operator shall submit to the Environment Agency for technical assessment and approval, the following:</p>

Table S1.4 Pre-operational measures for future development		
Reference	Operation	Pre-operational Measures
		<ul style="list-style-type: none"> Proposals for the location and design of the monitoring point for the discharge from Phase 10 (into the wetland area); An updated plan or MEPP showing the location of the proposed monitoring point. <p>Following approval the surface water monitoring point shall be installed (if infrastructure is required), and this shall be confirmed to the Environment Agency.</p>
6/2021	Discharge of water to the wetland area adjacent to Phase 10	<p>Following approval of pre-operational condition reference 5/2021 above, the operator shall submit for technical assessment and approval:</p> <p>A H1 risk assessment to assess the impact of the discharge from Phase 10 on the River Wandle based on:</p> <ul style="list-style-type: none"> 12 months of consecutive monthly monitoring, or other timescale agreed with the Environment Agency which covers seasonal variation; or published reference data. <p>See guidance https://www.gov.uk/guidance/surface-water-pollution-risk-assessment-for-your-environmental-permit;</p> <p>Where substances do not screen out of the H1 assessment as not significant, the operator shall propose limits for inclusion in the permit as necessary.</p>

Table S1.5 Annual waste input limits	
Category	Limit Tonnes/ Year
Non-hazardous waste	940,000
Inert waste	50,000
Wastes for restoration	17,800
Waste for recovery in Phase 10	532,200
Total	990,000 (not including wastes for recovery)

Schedule 2 – List of permitted wastes

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
01	Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals
01 01	wastes from mineral excavation
01 01 01	wastes from mineral metalliferous excavation
01 01 02	wastes from mineral non-metalliferous excavation
01 03	wastes from physical and chemical processing of metalliferous minerals
01 03 06	tailings other than those mentioned in 01 03 04 and 01 03 05
01 03 08	dusty and powdery wastes other than those mentioned in 01 03 07
01 03 09	red mud from alumina production other than the wastes mentioned in 01 03 10
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
01 04 10	dusty and powdery wastes other than those mentioned in 01 04 07
01 04 11	wastes from potash and rock salt processing other than those mentioned in 01 04 07
01 04 12	tailings and other wastes from washing and cleaning of minerals other than those mentioned in 01 04 07 and 01 04 11
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
01 05	drilling muds and other drilling wastes
01 05 04	freshwater drilling muds and wastes
01 05 07	barite-containing drilling muds and wastes other than those mentioned in 01 05 05 and 01 05 06
01 05 08	chloride-containing drilling muds and wastes other than those mentioned in 01 05 05 and 01 05 06
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 01	sludges from washing and cleaning
02 01 02	animal-tissue waste
02 01 03	plant-tissue waste
02 01 04	waste plastics (except packaging)
02 01 06	animal faeces, urine and manure (including spoiled straw), effluent, collected separately and treated off-site
02 01 07	wastes from forestry
02 01 09	agrochemical waste other than those mentioned in 02 01 08
02 01 10	waste metal
02 02	wastes from the preparation and processing of meat, fish and other foods of animal origin
02 02 01	sludges from washing and cleaning

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
02 02 02	animal-tissue waste
02 02 03	materials unsuitable for consumption or processing
02 02 04	sludges from on-site effluent treatment
02 03	wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation
02 03 01	sludges from washing, cleaning, peeling, centrifuging and separation
02 03 02	wastes from preserving agents
02 03 03	wastes from solvent extraction
02 03 04	materials unsuitable for consumption or processing
02 03 05	sludges from on-site effluent treatment
02 04	wastes from sugar processing
02 04 01	soil from cleaning and washing beet
02 04 02	off-specification calcium carbonate
02 04 03	sludges from on-site effluent treatment
02 05	wastes from the dairy products industry
02 05 01	materials unsuitable for consumption or processing
02 05 02	sludges from on-site effluent treatment
02 06	wastes from the baking and confectionery industry
02 06 01	materials unsuitable for consumption or processing
02 06 02	wastes from preserving agents
02 06 03	sludges from on-site effluent treatment
02 07	wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)
02 07 01	wastes from washing, cleaning and mechanical reduction of raw materials
02 07 02	wastes from spirits distillation
02 07 03	wastes from chemical treatment
02 07 04	materials unsuitable for consumption or processing
02 07 05	sludges from on-site effluent treatment
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard
03 01	wastes from wood processing and the production of panels and furniture
03 01 01	waste bark and cork
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04
03 03	wastes from pulp, paper and cardboard production and processing
03 03 01	waste bark and wood
03 03 02	green liquor sludge (from recovery of cooking liquor)
03 03 05	de-inking sludges from paper recycling

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard
03 03 08	wastes from sorting of paper and cardboard destined for recycling
03 03 09	lime mud waste
03 03 10	fibre rejects, fibre-, filler- and coating-sludges from mechanical separation
03 03 11	sludges from on-site effluent treatment other than those mentioned in 03 03 10
04	Wastes from the leather, fur and textile industries
04 01	wastes from the leather and fur industry
04 01 01	fleshings and lime split wastes
04 01 02	liming waste
04 01 06	sludges, in particular from on-site effluent treatment containing chromium
04 01 07	sludges, in particular from on-site effluent treatment free of chromium
04 01 08	waste tanned leather (blue sheetings, shavings, cuttings, buffing dust) containing chromium
04 01 09	wastes from dressing and finishing
04 02	wastes from the textile industry
04 02 09	wastes from composite materials (impregnated textile, elastomer, plastomer)
04 02 10	organic matter from natural products (for example grease, wax)
04 02 15	wastes from finishing other than those mentioned in 04 02 14
04 02 17	dyestuffs and pigments other than those mentioned in 04 02 16
04 02 20	sludges from on-site effluent treatment other than those mentioned in 04 02 19
04 02 21	wastes from unprocessed textile fibres
04 02 22	wastes from processed textile fibres
05	Wastes from petroleum refining, natural gas purification and pyrolytic treatment of coal
05 01	wastes from petroleum refining
05 01 10	sludges from on-site effluent treatment other than those mentioned in 05 01 09
05 01 13	boiler feedwater sludges
05 01 14	wastes from cooling columns
05 01 16	sulphur-containing wastes from petroleum desulphurisation
05 01 17	bitumen
05 06	wastes from the pyrolytic treatment of coal
05 06 04	waste from cooling columns
05 07	wastes from natural gas purification and transportation
05 07 02	wastes containing sulphur
06	Wastes from inorganic chemical processes
06 03	wastes from the MFSU of salts and their solutions and metallic oxides
06 03 14	solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13
06 03 16	metallic oxides other than those mentioned in 06 03 15
06 05	sludges from on-site effluent treatment

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
06 05 03	sludges from on-site effluent treatment other than those mentioned in 06 05 02
06 06	wastes from the MFSU of sulphur chemicals, sulphur chemical processes and desulphurisation processes
06 06 03	wastes containing sulphides other than those mentioned in 06 06 02
06 09	wastes from the MFSU of phosphorous chemicals and phosphorous chemical processes
06 09 02	phosphorous slag
06 09 04	calcium-based reaction wastes other than those mentioned in 06 09 03
06 11	wastes from the manufacture of inorganic pigments and opacifiers
06 11 01	calcium-based reaction wastes from titanium dioxide production
06 13	wastes from inorganic chemical processes not otherwise specified
06 13 03	carbon black
07	Wastes from organic chemical processes
07 01	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 12	sludges from on-site effluent treatment other than those mentioned in 07 01 11
07 02	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 12	sludges from on-site effluent treatment other than those mentioned in 07 02 11
07 02 13	waste plastic
07 02 15	wastes from additives other than those mentioned in 07 02 14
07 02 17	waste containing silicones other than those mentioned in 07 02 16
07 03	wastes from the MFSU of organic dyes and pigments (except 06 11)
07 03 12	sludges from on-site effluent treatment other than those mentioned in 07 03 11
07 04	wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides
07 04 12	sludges from on-site effluent treatment other than those mentioned in 07 04 11
07 05	wastes from the MFSU of pharmaceuticals
07 05 12	sludges from on-site effluent treatment other than those mentioned in 07 05 11
07 05 14	solid wastes other than those mentioned in 07 05 13
07 06	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics
07 06 12	sludges from on-site effluent treatment other than those mentioned in 07 06 11
07 07	wastes from the MFSU of fine chemicals and chemical products not otherwise specified
07 07 12	sludges from on-site effluent treatment other than those mentioned in 07 07 11
08	Wastes from the manufacture, formulation, supply and use (MFSU) of coatings (paints, varnishes and vitreous enamels), adhesives, sealants and printing inks
08 01	wastes from MFSU and removal of paint and varnish
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
08 01 14	sludges from paint or varnish other than those mentioned in 08 01 13

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
08 01 16	aqueous sludges containing paint or varnish other than those mentioned in 08 01 15
08 01 18	wastes from paint or varnish removal other than those mentioned in 08 01 17
08 02	wastes from MFSU of other coatings (including ceramic materials)
08 02 01	waste coating powders
08 02 02	aqueous sludges containing ceramic materials
08 03	wastes from MFSU of printing inks
08 03 07	aqueous sludges containing ink
08 03 13	waste ink other than those mentioned in 08 03 12
08 03 15	ink sludges other than those mentioned in 08 03 14
08 03 18	waste printing toner other than those mentioned in 08 03 17
08 04	wastes from MFSU of adhesives and sealants (including water proofing products)
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09
08 04 12	adhesive and sealant sludges other than those mentioned in 08 04 11
08 04 14	aqueous sludges containing adhesives or sealants other than those mentioned in 08 04 13
09	Wastes from the photographic industry
09 01	wastes from the photographic industry
09 01 07	photographic film and paper containing silver or silver compounds
09 01 08	photographic film and paper free of silver or silver compounds
09 01 10	single-use cameras without batteries
09 01 12	single-use cameras containing batteries other than those mentioned in 09 01 11
10	Wastes from thermal processes
10 01	wastes from power stations and other combustion plants (except 19)
10 01 01	bottom ash, slag and boiler dust (excluding boiler dust mentioned in 10 01 04)
10 01 02	coal fly ash
10 01 03	fly ash from peat and untreated wood
10 01 05	calcium-based reaction wastes from flue-gas desulphurisation in solid form
10 01 07	calcium-based reaction wastes from flue-gas desulphurisation in sludge form
10 01 15	bottom ash, slag and boiler dust from co-incineration other than those mentioned in 10 01 14
10 01 17	fly ash from co-incineration other than those mentioned in 10 01 16
10 01 19	wastes from gas cleaning other than those mentioned in 10 01 05, 10 01 07 and 10 01 18
10 01 21	sludges from on-site effluent treatment other than those mentioned in 10 01 20
10 01 23	aqueous sludges from boiler cleansing other than those mentioned in 10 01 22
10 01 24	sands from fluidised beds
10 01 25	wastes from fuel storage and preparation of coal-fired power plants
10 01 26	wastes from cooling-water treatment
10 02	wastes from the iron and steel industry

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
10 02 01	wastes from the processing of slag
10 02 02	unprocessed slag
10 02 08	solid wastes from gas treatment other than those mentioned in 10 02 07
10 02 10	mill scales
10 02 12	wastes from cooling-water treatment other than those mentioned in 10 02 11
10 02 14	sludges and filter cakes from gas treatment other than those mentioned in 10 02 13
10 02 15	other sludges and filter cakes
10 03	wastes from aluminium thermal metallurgy
10 03 02	anode scraps
10 03 05	waste alumina
10 03 16	skimmings other than those mentioned in 10 03 15
10 03 18	carbon-containing wastes from anode manufacture other than those mentioned in 10 03 17
10 03 20	flue-gas dust other than those mentioned in 10 03 19
10 03 22	other particulates and dust (including ball-mill dust) other than those mentioned in 10 03 21
10 03 24	solid wastes from gas treatment other than those mentioned in 10 03 23
10 03 26	sludges and filter cakes from gas treatment other than those mentioned in 10 03 25
10 03 28	wastes from cooling-water treatment other than those mentioned in 10 03 27
10 03 30	wastes from treatment of salt slags and black drosses other than those mentioned in 10 03 29
10 04	wastes from lead thermal metallurgy
10 04 10	wastes from cooling-water treatment other than those mentioned in 10 04 09
10 05	wastes from zinc thermal metallurgy
10 05 01	slags from primary and secondary production
10 05 09	wastes from cooling-water treatment other than those mentioned in 10 05 08
10 05 11	dross and skimmings other than those mentioned in 10 05 10
10 06	wastes from copper thermal metallurgy
10 06 01	slags from primary and secondary production
10 06 02	dross and skimmings from primary and secondary production
10 06 04	other particulates and dust
10 06 10	wastes from cooling-water treatment other than those mentioned in 10 06 09
10 07	wastes from silver, gold and platinum thermal metallurgy
10 07 01	slags from primary and secondary production
10 07 02	dross and skimmings from primary and secondary production
10 07 03	solid wastes from gas treatment
10 07 04	other particulates and dust
10 07 05	sludges and filter cakes from gas treatment
10 07 08	wastes from cooling-water treatment other than those mentioned in 10 07 07

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
10 08	wastes from other non-ferrous thermal metallurgy
10 08 04	particulates and dust
10 08 09	other slags
10 08 11	dross and skimmings other than those mentioned in 10 08 10
10 08 13	carbon-containing wastes from anode manufacture other than those mentioned in 10 08 12
10 08 14	anode scrap
10 08 16	flue-gas dust other than those mentioned in 10 08 15
10 08 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 08 17
10 08 20	wastes from cooling-water treatment other than those mentioned in 10 08 19
10 09	wastes from casting of ferrous pieces
10 09 03	furnace slag
10 09 06	casting cores and moulds which have not undergone pouring other than those mentioned in 10 09 05
10 09 08	casting cores and moulds which have undergone pouring other than those mentioned in 10 09 07
10 09 10	flue-gas dust other than those mentioned in 10 09 09
10 09 12	other particulates other than those mentioned in 10 09 11
10 09 14	waste binders other than those mentioned in 10 09 13
10 09 16	waste crack-indicating agent other than those mentioned in 10 09 15
10 10	wastes from casting of non-ferrous pieces
10 10 03	furnace slag
10 10 06	casting cores and moulds which have not undergone pouring, other than those mentioned in 10 10 05
10 10 08	casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07
10 10 10	flue-gas dust other than those mentioned in 10 10 09
10 10 12	other particulates other than those mentioned in 10 10 11
10 10 14	waste binders other than those mentioned in 10 10 13
10 10 16	waste crack-indicating agent other than those mentioned in 10 10 15
10 11	wastes from manufacture of glass and glass products
10 11 03	waste glass-based fibrous materials
10 11 05	particulates and dust
10 11 10	waste preparation mixture before thermal processing, other than those mentioned in 10 11 09
10 11 12	waste glass other than those mentioned in 10 11 11
10 11 14	glass-polishing and -grinding sludge other than those mentioned in 10 11 13
10 11 16	solid wastes from flue-gas treatment other than those mentioned in 10 11 15
10 11 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 11 17
10 11 20	solid wastes from on-site effluent treatment other than those mentioned in 10 11 19

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products
10 12 01	waste preparation mixture before thermal processing
10 12 03	particulates and dust
10 12 05	sludges and filter cakes from gas treatment
10 12 06	discarded moulds
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)
10 12 10	solid wastes from gas treatment other than those mentioned in 10 12 09
10 12 12	wastes from glazing other than those mentioned in 10 12 11
10 12 13	sludge from on-site effluent treatment
10 13	wastes from manufacture of cement, lime and plaster and articles and products made from them
10 13 01	waste preparation mixture before thermal processing
10 13 04	wastes from calcination and hydration of lime
10 13 06	particulates and dust (except 10 13 12 and 10 13 13)
10 13 07	sludges and filter cakes from gas treatment
10 13 10	wastes from asbestos-cement manufacture other than those mentioned in 10 13 09
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 13	solid wastes from gas treatment other than those mentioned in 10 13 12
10 13 14	waste concrete and concrete sludge
11	Wastes from chemical surface treatment and coating of metals and other materials; non-ferrous hydro-metallurgy
11 01	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)
11 01 10	sludges and filter cakes other than those mentioned in 11 01 09
11 01 14	degreasing wastes other than those mentioned in 11 01 13
11 02	wastes from non-ferrous hydrometallurgical processes
11 02 03	wastes from the production of anodes for aqueous electrolytical processes
11 02 06	wastes from copper hydrometallurgical processes other than those mentioned in 11 02 05
11 05	wastes from hot galvanising processes
11 05 01	hard zinc
11 05 02	zinc ash
12	Wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 01	ferrous metal filings and turnings
12 01 02	ferrous metal dust and particles

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
12 01 03	non-ferrous metal filings and turnings
12 01 04	non-ferrous metal dust and particles
12 01 05	plastics shavings and turnings
12 01 13	welding wastes
12 01 15	machining sludges other than those mentioned in 12 01 14
12 01 17	waste blasting material other than those mentioned in 12 01 16
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified
15 01	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 07	glass packaging
15 01 09	textile packaging
15 02	absorbents, filter materials, wiping cloths and protective clothing
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
16	Wastes not otherwise specified in the list
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 12	brake pads other than those mentioned in 16 01 11
16 01 17	ferrous metal
16 01 18	non-ferrous metal
16 01 19	plastic
16 01 20	glass
16 02	wastes from electrical and electronic equipment
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15
16 03	off-specification batches and unused products
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 03 06	organic wastes other than those mentioned in 16 03 05
16 08	spent catalysts
16 08 01	spent catalysts containing gold, silver, rhenium, rhodium, palladium, iridium or platinum (except 16 08 07)

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
16 08 03	spent catalysts containing transition metals or transition metal compounds not otherwise specified
16 11	waste linings and refractories
16 11 02	carbon-based linings and refractories from metallurgical processes others than those mentioned in 16 11 01
16 11 04	other linings and refractories from metallurgical processes other than those mentioned in 16 11 03
16 11 06	linings and refractories from non-metallurgical processes others than those mentioned in 16 11 05
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 01	concrete, bricks, tiles and ceramics
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	wood, glass and plastic
17 02 01	wood
17 02 02	glass
17 02 03	plastic
17 03	bituminous mixtures, coal tar and tarred products
17 03 02	bituminous mixtures other than those mentioned in 17 03 01
17 04	metals (including their alloys)
17 04 01	copper, bronze, brass
17 04 03	lead
17 04 04	zinc
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals
17 04 11	cables other than those mentioned in 17 04 10
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 06	dredging spoil other than those mentioned in 17 05 05
17 05 08	track ballast other than those mentioned in 17 05 07
17 06	insulation materials and asbestos-containing construction materials
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03
17 09	other construction and demolition wastes
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
18	Wastes from human or animal health care and/or related research (except kitchen and restaurant wastes not arising from immediate health care)
18 01	wastes from natal care, diagnosis, treatment or prevention of disease in humans
18 01 04	wastes whose collection and disposal is not subject to special requirements in order to prevent infection (for example dressings, plaster casts, linen, disposable clothing, diapers)
18 02	wastes from research, diagnosis, treatment or prevention of disease involving animals
18 02 03	wastes whose collection and disposal is not subject to special requirements in order to prevent infection
18 02 06	chemicals other than those mentioned in 18 02 05
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 01	wastes from incineration or pyrolysis of waste
19 01 02	ferrous materials removed from bottom ash
19 01 12	bottom ash and slag other than those mentioned in 19 01 11
19 01 14	fly ash other than those mentioned in 19 01 13
19 01 16	boiler dust other than those mentioned in 19 01 15
19 01 18	pyrolysis wastes other than those mentioned in 19 01 17
19 01 19	sands from fluidised beds
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 03	premixed wastes composed only of non-hazardous wastes
19 02 06	sludges from physico/chemical treatment other than those mentioned in 19 02 05
19 02 10	combustible wastes other than those mentioned in 19 02 08 and 19 02 09
19 03	stabilised/solidified wastes
19 03 05	stabilised wastes other than those mentioned in 19 03 04
19 03 07	solidified wastes other than those mentioned in 19 03 06
19 04	vitrified waste and wastes from vitrification
19 04 01	vitrified waste
19 05	wastes from aerobic treatment of solid wastes
19 05 01	non-composted fraction of municipal and similar wastes
19 05 02	non-composted fraction of animal and vegetable waste
19 05 03	off-specification compost
19 06	wastes from anaerobic treatment of waste
19 06 04	digestate from anaerobic treatment of municipal waste
19 06 06	digestate from anaerobic treatment of animal and vegetable waste
19 08	wastes from waste water treatment plants not otherwise specified
19 08 01	screenings
19 08 02	waste from desanding

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
19 08 05	sludges from treatment of urban waste water
19 08 12	sludges from biological treatment of industrial waste water other than those mentioned in 19 08 11
19 08 14	sludges from other treatment of industrial waste water other than those mentioned in 19 08 13
19 09	wastes from the preparation of water intended for human consumption or water for industrial use
19 09 01	solid waste from primary filtration and screenings
19 09 02	sludges from water clarification
19 09 03	sludges from decarbonation
19 09 04	spent activated carbon
19 09 05	saturated or spent ion exchange resins
19 09 06	solutions and sludges from regeneration of ion exchangers
19 10	wastes from shredding of metal-containing wastes
19 10 01	iron and steel waste
19 10 02	non-ferrous waste
19 10 04	fluff-light fraction and dust other than those mentioned in 19 10 03
19 10 06	other fractions other than those mentioned in 19 10 05
19 11	wastes from oil regeneration
19 11 06	sludges from on-site effluent treatment other than those mentioned in 19 11 05
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 01	paper and cardboard
19 12 02	ferrous metal
19 12 03	non-ferrous metal
19 12 04	plastic and rubber
19 12 05	glass
19 12 07	wood other than that mentioned in 19 12 06
19 12 08	textiles
19 12 09	minerals (for example sand, stones)
19 12 10	combustible waste (refuse derived fuel)
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11
19 13	wastes from soil and groundwater remediation
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01
19 13 04	sludges from soil remediation other than those mentioned in 19 13 03
19 13 06	sludges from groundwater remediation other than those mentioned in 19 13 05
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
20 01 01	paper and cardboard
20 01 02	glass
20 01 08	biodegradable kitchen and canteen waste
20 01 10	clothes
20 01 11	textiles
20 01 25	edible oil and fat
20 01 28	paint, inks, adhesives and resins other than those mentioned in 20 01 27
20 01 30	detergents other than those mentioned in 20 01 29
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 38	wood other than that mentioned in 20 01 37
20 01 39	plastics
20 01 40	metals
20 01 41	wastes from chimney sweeping
20 02	garden and park wastes (including cemetery waste)
20 02 01	biodegradable waste
20 02 02	soil and stones
20 02 03	other non-biodegradable wastes
20 03	other municipal wastes
20 03 01	mixed municipal waste
20 03 02	waste from markets
20 03 03	street-cleaning residues
20 03 04	septic tank sludge
20 03 06	waste from sewage cleaning
20 03 07	bulky waste

Table S2.2 Permitted waste types accepted for treatment quantity to be confirmed	
Waste code	Description
16	Wastes not otherwise specified in the list
16 01	aqueous liquid wastes destined for off-site treatment
16 10 02	Aqueous liquid other than those mentioned in 16 10 01. Non-hazardous aqueous waste from adjacent waste recycling centre (separately permitted EPR/FB3804XU / EAWML83441).

Table S2.3 Permitted waste types for the Phase 10 recovery operation and the restoration layer	
Waste code	Description
01	Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
10	Wastes from thermal processes
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)
10 13	wastes from manufacture of cement, lime and plaster and articles and products made from them
10 13 14	waste concrete and concrete sludge for waste body stabilisation as part of the Phase 10 recovery area only.
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 01	concrete, bricks, tiles and ceramics
17 01 01 ^{Note 1}	concrete
17 01 02 ^{Note 1}	bricks
17 01 03 ^{Note 1}	tiles and ceramics
17 01 07 ^{Note 1}	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 05	Soil (excluding topsoil, peat, soil and stone from contaminated sites and dredging spoil)
17 05 04	soil and stones other than those mentioned in 17 05 03
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 09	minerals (for example sand, stones) excluding fines from the treatment of any non-hazardous waste or gypsum from recovered plasterboard and residual 'fines' from mechanical treatment of mixed waste at transfer stations.

Table S2.3 Permitted waste types for the Phase 10 recovery operation and the restoration layer	
Waste code	Description
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11. Inert soil substitutes other than that containing dangerous substances only (restricted to crushed bricks, tiles, concrete, ceramics and fines) and excluding fines from treatment of any non-hazardous waste or gypsum from recovered plasterboard, metal from reinforced concrete and shall not include residual 'fines' from mechanical treatment of mixed waste at waste management sites.
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 02	garden and park wastes (including cemetery waste)
20 02 02	soil and stones exclusively from garden and parks waste, excluding topsoil and peat
Note 1 - Selected construction and demolition waste (C & D waste): with low contents of other types of materials (like metals, plastic, soil, organics, wood, rubber, etc.). The origin of the waste must be known.	

Schedule 3 – Emissions and monitoring

Table S3.1 Leachate level limits and monitoring requirements			
Monitoring point reference/ Description	Limit	Monitoring frequency	Monitoring standard and method
Operational Cells or Phases (Any cells or phases that do not have a final engineered cap agreed in accordance with the landfill engineering condition, 2.6)			
Leachate compliance and monitoring points	mAOD	Monthly	As specified in Environment Agency Guidance LFTGN02 (February 2003) or such other subsequent guidance as may be agreed in writing with the Environment Agency. Or as otherwise agreed with the Agency as part of a leachate monitoring plan.
None	None		

Table S3.1 Leachate level limits and monitoring requirements			
Monitoring point reference/ Description	Limit	Monitoring frequency	Monitoring standard and method
Non Operational Cells or Phases (Any cells or phases that have a final engineered cap agreed in accordance with the landfill engineering condition, 2.6)			
Leachate compliance and monitoring points On drawing BTN3000 Revision E, dated 01/10/21. Phase 1A BFLAT1A, BFGE2.5, Phase 1B BFLAT1CR, BFGE1.5 Phase 2 BFLAT2, BFLMP2 Phase 3 BFLAT3, BFLMP3 Phase 4-5 BFLAT4, BFLMP4, BFLMP5 Phase 6 BFLAT6, BFLMP6A, BFLMP6B Phase 7 BFLAT7, BFLMP7A, BFLMP7B Phase 8A BFLAT8A, BFLMP8A2 Phase 8B BFLAT8B, BFLMP8B1 Phase 9A-B BFLAT9A, BFLMP9A1 BFLAT9B, BFLMP9B2 Phase 9C1-2 BFLAT9C1R, BFLMP9C1, BFLAT9C2, BFLMP9C4	24.5 m AOD 24.5 m AOD 23.6 m AOD 25.3 m AOD 26.0 m AOD 23.6 m AOD 24.2 m AOD 23.6 m AOD 23.6 m AOD 23.2 m AOD 23.2 m AOD	Quarterly	As specified in Environment Agency Guidance LFTGN02 (February 2003) or such other subsequent guidance as may be agreed in writing with the Environment Agency. Or as otherwise agreed with the Agency as part of a leachate monitoring plan.

Table S3.2 Point source emissions to air – emission limits and monitoring requirements

Emission point Ref. & Location	Parameter	Source	Limit (including unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
Location 1 Engine LGE1 Commissioned before 31 st December 2005 located on plan BTN4000, Revision C dated May 2021	Oxides of Nitrogen	Gas utilisation plant	650 mg/m ³	Hourly mean	Annually	Monitoring method shall be as per <u>monitoring-stack-emissions-techniques-and-standards-for-periodic-monitoring</u> or such other subsequent guidance as may be agreed in writing with the Environment Agency. Limits shall be based on normal operating conditions and load. Temperature 0°C (273 K); pressure: 101.3 kPa; and oxygen: 5 per cent (dry gas). Uncertainty in limits shall be calculated in accordance with section on data standardisation in LFTGN08.
	CO		1500 mg/m ³			
	Total VOCs		1750 mg/m ³			
Location 3 Engine LGE3 Location 4 Engine LGE4 Location 5 Engine LGE5 Commissioned after 31 st December 2005 located on plan BTN4000, Revision C dated May 2021	Oxides of Nitrogen	Gas utilisation plant	500 mg/m ³	Hourly mean	Annually	Monitoring method shall be as per <u>monitoring-stack-emissions-techniques-and-standards-for-periodic-monitoring</u> or such other subsequent guidance as may be agreed in writing with the Environment Agency. Limits apply to each emission point (stack), including where 2 or more
	CO		1400mg/m ³			
	Total VOCs		1000mg/m ³			
Location 2 Engine LGE2 MCP Landfill Gas Engine as shown on plan BTN4000, Revision C dated May 2021	Oxides of Nitrogen	Gas utilisation plant	500 mg/m ³	Hourly mean	Annually	Monitoring method shall be as per <u>monitoring-stack-emissions-techniques-and-standards-for-periodic-monitoring</u> or such other subsequent guidance as may be agreed in writing with the Environment Agency. Limits apply to each emission point (stack), including where 2 or more
	CO	Gas utilisation plant	1400 mg/m ³	Hourly mean	Annually	

Table S3.2 Point source emissions to air – emission limits and monitoring requirements

Emission point Ref. & Location	Parameter	Source	Limit (including unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
Location 2 Engine LGE2 MCP Landfill Gas Engine as shown on plan BTN4000, Revision C dated May 2021	Total VOCs	Gas utilisation plant	1000 mg/m ³	Hourly mean	Annually	engines use a common emission point. Limits shall be based on normal operating conditions and load. Temperature 0°C (273 K); pressure: 101.3 kPa; and oxygen: 5 per cent (dry gas). Uncertainty in limits shall be calculated in accordance with <u>monitoring stack emissions: maximum uncertainty for periodic monitoring</u>
	SO ₂	Gas utilisation plant	40 mg/m ³	Hourly mean	Annually	Monitoring method shall be as per <u>monitoring-stack-emissions-techniques-and-standards-for-periodic-monitoring</u> or such other subsequent guidance as may be agreed in writing with the Environment Agency Limits apply to each emission point (stack), including where 2 or more engines use a common emission point. Limits shall be based on normal operating conditions and load. Temperature of 0°C (273 K), a pressure of 101.3 kPa and oxygen:15 per cent (dry gas). Uncertainty in limits shall be calculated in accordance with <u>monitoring stack emissions: maximum uncertainty for periodic monitoring</u> .
Flare 1 Commissioned before 31 st December 2003	Oxides of Nitrogen	Landfill Gas Flares	150 mg/m ³	Hourly mean	Annually	Monitoring method shall be as per <u>monitoring-stack-emissions-techniques-and-standards-for-periodic-</u>
	CO		100mg/m ³			

Table S3.2 Point source emissions to air – emission limits and monitoring requirements						
Emission point Ref. & Location	Parameter	Source	Limit (including unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
Located on plan BTN4000, Revision C dated May 2021	Total VOCs		10 mg/m ³			<p><u>monitoring</u> or such other subsequent guidance as may be agreed in writing with the Environment Agency</p> <p>Monitoring is unnecessary where the flare is active for <10% of the year.</p> <p>Limits shall be based on normal operating conditions. Temperature: 0°C (273K); pressure: 101.3 kPa and oxygen: 3 percent (dry gas).</p> <p>Uncertainty in limits shall be calculated in accordance with LFTGN05.</p>
GAC vent on Leachate Treatment Methane Stripping Plant	None	Leachate Treatment Methane Stripping Plant	None	None	None	None

Table S3.3 Point source emissions to water (other than sewer) – emission limits and monitoring requirements						
Emission point Ref. & Location [1]	Parameter	Source	Limit (incl unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
1BF004SW (Southern Lakes discharge outfall, as shown on drawing BTN3000, Revision E dated 01/10/21)	Ammoniacal -N	Site Drainage, 'MEC Overflow' and the upstream River Wandle	4.5 mg/l	Spot Sample	Monthly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J3, version 2.1, Dec 2011) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
	pH		>6 and <10 pH units			
	Chloride		200 mg/l			
Discharge point from phase 10 - to be agreed in accordance with table S1.4, pre-operational condition requirements 6/2021 and 7/2021.	To be agreed in accordance with table S1.4, pre-operational condition requirements 6 and 7.					
[1] A permit limit exceedance will not be deemed to have occurred at 1BF004SW if water quality at 1BF005SW and/or the MEC overflow has also exceeded the same permit limit during the same sample event						

Table S3.4 Groundwater – emission limits and monitoring requirements					
Monitoring point reference	Parameter	Limit (including unit)	Reference Period	Monitoring frequency	Monitoring standard or method
1BF011WM 1BF013WMR 1BF024WM	Chloride	250 mg/l	Spot Sample	Quarterly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J3, version 2.1, Dec 2011) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Shown on drawing BTN3000, Revision E dated 01/10/21)	Nickel Mecoprop Toluene Xylene Cadmium (dissolved)	0.1 mg/l 0.0001 mg/l 0.004 mg/l 0.003 mg/l 0.001 mg/l	Spot Sample	Annually	

Table S3.5 Landfill gas in external monitoring boreholes – limits and monitoring requirements				
Monitoring point Ref. /description [1]	Parameter	Limit (including units)	Monitoring frequency	Monitoring standard or method
Boreholes 1BF051GM, 1BF052GM as shown on drawing no. BTN3000, Revision E dated 01/10/21	Methane	No limit	Monthly	As per LFTGN03 (September 2003) or such other subsequent guidance as may be agreed in writing with the Environment Agency. Record whether the ground is: waterlogged frozen snow covered
	Carbon dioxide	No limit		
Boreholes 1BF001GM, 1BF001GMA, 1BF002GM, 1BF003GMR, 1BF004GM, 1BF004GMA, 1BF005GM, 1BF006GM, 1BF007GM, 1BF007GMA, 1BF008WM, 1BF009GM, 1BF010GM, 1BF010GMA, 1BF020GM, 1BF021GM, 1BF022GM, 1BF023GM, 1BF024WM, 1BF024GMA, 1BF025GM, 1BF025GMA, 1BF026WM, 1BF027GM, 1BF028WM, 1BF028GMA, 1BF029GM, 1BF030GM, 1BF031GM, 1BF032GM, 1BF033GM, 1BF034GM, 1BF037GM, 1BF038GM, 1BF039GM, 1BF040GM, 1BF041GM, 1BF042GM, 1BF044GM, 1BF045GM, 1BF046GM, 1BF047GM, 1BF050GM, 1BF053GM, 1BF054GM, 1BF055GM, 1BF056GM, 1BF057GM, 1BF058GM as shown on drawing no. BTN3000, Revision E dated 01/10/21)	Methane	1 %v/v	Monthly	As per LFTGN03 (September 2003) or such other subsequent guidance as may be agreed in writing with the Environment Agency. Record whether the ground is: waterlogged frozen snow covered
	Carbon Dioxide	No limit		
	Oxygen			
	Atmospheric pressure			
	Differential Pressure			

Table S3.6 Point source emissions to sewer, effluent treatment plant or by tankering or other transfer off-site – emission limits and monitoring requirements

Emission point Ref. & Location	Parameter	Source	Limit (including unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
W1 Grid ref: X:527770 Y:167034	Hazardous substances as defined by H1 assessment – to be agreed in accordance with improvement condition references 4a/2021 and 4b/2021.	Treated effluent from Leachate treatment methane stripping plant (MSP)	To be agreed in accordance with improvement condition references 4a/2021 and 4b/2021	Spot sample	Quarterly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J3, version 2.1, Dec 2011) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
	Maximum permitted discharge rate		100m ³ /day		None	

Table S3.7 Particulate matter in ambient air - monitoring requirements					
Monitoring Point Ref. /Description	Parameter	Limit	Reference Period	Monitoring Frequency	Monitoring Standard or Method
Installation boundary 1BF002PM10 (downwind) precise monitoring location to be confirmed on each monitoring occasion	Suspended particulates PM ₁₀	50 µg/m ³ at downwind site boundary 40 µg/m ³ at downwind site boundary Annual mean of 24 hour monitoring results calculated over a rolling 12 month period	24 hours	Quarterly	In accordance with Agency Guidance 'M17 – Monitoring of Particulate Matter in ambient air around waste facilities', or any subsequent guidance
Installation boundary 1BF001PM10 (upwind) precise monitoring location to be confirmed on each monitoring occasion	Suspended particulates PM ₁₀	No limit	24 hours	Quarterly	In accordance with Agency Guidance 'M17 – Monitoring of Particulate Matter in ambient air around waste facilities', or any subsequent guidance
Installation boundary	Deposited dust	200 mg/m ² /day	24 hours	Continuous (Monthly sequential samples)	In accordance with Agency Guidance 'M17 – Monitoring of Particulate Matter in ambient air around waste facilities', or any subsequent guidance

Table S3.7 Particulate matter in ambient air - monitoring requirements

Monitoring Point Ref. /Description	Parameter	Limit	Reference Period	Monitoring Frequency	Monitoring Standard or Method
BFDG01, BFDG02, BFDG03, BFDG04, BFDG05 as shown on drawing no. BTN3000, Revision E dated 01/10/21					
(1) 1BF001PM10 is considered to be a 'background' monitoring location and therefore the emission limit shall not apply at this location.					

Table S3.8 Landfill gas emissions from capped surfaces for cells that have accepted non hazardous biodegradable waste – monitoring requirements			
Monitoring point Ref. /description	Parameter	Monitoring frequency	Monitoring Standard or method
Permanently capped zone	Methane concentration	Every 12 months	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Temporarily capped zone	Methane concentration	Every 12 months	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Whole site	Total methane emission	As agreed with the Environment Agency	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Uncapped areas	Methane concentration	Every 12 months	As agreed with the Environment Agency based on the wording of revised LFTGN 07 or landfill sector guidance or such other subsequent guidance as may be agreed in writing with the Environment Agency.

Table S3.9 Groundwater – other monitoring requirements			
Monitoring Point Ref./Description	Parameter	Monitoring frequency	Monitoring standard or method
Up gradient MEPP	Water level, electrical conductivity, chloride, ammoniacal nitrogen, pH,	Quarterly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J3, version 2.1, Dec 2011, or such other subsequent guidance as may be agreed in writing with the Environment Agency.
	total alkalinity, magnesium, potassium, total sulphates, calcium, sodium, chromium, copper, iron, lead, nickel, zinc, manganese	Annually	
	Hazardous substances	Annually for first six years of operation	
Down or cross gradient MEPP	Water level, electrical conductivity, chloride, ammoniacal nitrogen, pH,	Quarterly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J3, version 2.1, Dec 2011, or such other subsequent guidance as may be agreed in writing with the Environment Agency. After the initial 6 year monitoring period for hazardous substances, if the results of quarterly or annual monitoring suggest an increase in contamination, the operator shall also undertake a full leachate hazardous substances screen.
	total alkalinity, magnesium, potassium, total sulphates, calcium, sodium, chromium, copper, iron, lead, nickel, zinc, manganese	Annually	
	Hazardous substances detected in leachate	Annually for first six years of operation then every two years	
MEPP	Base of monitoring point (mAOD)	Annually	

Table S3.10 Landfill gas – other monitoring requirements				
Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
In waste gas monitoring boreholes or sealed leachate wells or sacrificial gas extraction system [in cells for non-hazardous waste]	Methane Carbon Dioxide Oxygen Carbon Monoxide Differential pressure Atmospheric pressure	Monthly until gas extraction commences	Calibrated handheld monitoring instrument	For cells or phases which have no active gas extraction. Gas extraction system shall be installed and extraction commenced once monitoring shows onset of methane production in waste at a rate that can be sustainably extracted. Once gas extraction has commenced in a particular cell or phase, there is no longer a requirement to carry out this monitoring.
	Hydrogen sulphide	Quarterly	Calibrated handheld monitoring instrument or Tedlar Bag sample in accordance with LFTGN04 (enter version number and issue date) or other such subsequent guidance as may be agreed in writing with the Environment Agency or a method agreed with the Environment Agency.	For cells or phases which have no active gas extraction. Once gas extraction has commenced in a particular cell or phase, there is no longer a requirement to carry out this monitoring. Concentrations of hydrogen sulphide shall be assessed in accordance with the gas and odour management plans

Table S3.10 Landfill gas – other monitoring requirements				
Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Gas collection system at well control valve and manifold.	Methane Carbon Dioxide Oxygen Carbon Monoxide Atmospheric pressure Gas flow rate or suction % Balance Gas (calculated as the difference between the sum of measured gases and 100%)	Monthly or at such other frequency as may be agreed in writing with the Environment Agency.	Calibrated handheld monitoring instrument	Where the oxygen concentration exceeds 5% or the % balance gas is greater than 20% an assessment of air ingress into the system shall be undertaken. Where the concentration of carbon monoxide exceeds 100ppm then further investigation shall be undertake Record the ambient air temperature and whether the ground is: waterlogged frozen snow covered
Output to LFG Utilisation Compound	Trace gas	Annually	Trace gas analysis in accordance with LFTGN04 (v3.0 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency or a trace gas characterisation method agreed with the Environment Agency.	The concentration of trace gas components shall be assessed against the assumptions made in the Landfill gas risk assessment and dispersion modelling.

Table S3.10 Landfill gas – other monitoring requirements				
Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Output to LFG Utilisation Compound	Methane Carbon Dioxide Oxygen Gas flow rate Suction % Balance Gas (calculated as the difference between the sum of measured gases and 100%)	Weekly		Where the oxygen concentration exceeds 5% or the % balance gas is greater than 20% an assessment of air ingress into the system shall be undertaken.
Flare 1 As located on plan BTN3000 as shown on drawing no. BTN3000, Revision E dated 01/10/21	Temperature	As per LFTGN05 (version 2.0, 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.	Monitoring method shall be as per <u>monitoring-stack-emissions-techniques-and-standards-for-periodic-monitoring</u> or such other subsequent guidance as may be agreed in writing with the Environment Agency	
Location 1 Engine LGE 1 Location 2 Engine LGE 2 Location 3 Engine LGE 3 Location 4 Engine LGE 4 Location 5 Engine LGE 5 As located on plan BTN4000, Revision C dated May 2021	NOx and CO	Quarterly	In accordance with Appendix C of LFTGN08, (Version 2.0 , 2010.) or such other subsequent guidance as may be agreed in writing with the Environment Agency.	Where monitoring using hand-held, electrochemical equipment indicates an exceedance of the emissions standards specified in Table S3.2, these shall be used as action levels and the operator shall investigate the cause and take appropriate measures to reduce emissions.

Table S3.10 Landfill gas – other monitoring requirements				
Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
4 in-waste monitoring points in Phase 10 recovery area following installation in accordance with conditions 2.7.5 – 2.7.10.	Methane Carbon Dioxide Oxygen Carbon Monoxide Differential pressure Atmospheric pressure	Monthly	Calibrated handheld monitoring instrument	As per LFTGN03 (September 2003) or such other subsequent guidance as may be agreed in writing with the Environment Agency. Where the concentration of methane at any in-waste monitoring location exceeds the specified action level, the operator shall investigate the root cause in accordance with their gas action plan and waste acceptance procedures. Record whether the ground is: waterlogged frozen snow covered

Table S3.11 Leachate – other monitoring requirements				
Monitoring point reference or description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Operational Cells or Phases (Any cell or phases that do not have a final engineered cap agreed in accordance with condition 2.6)				
None	None	None	None	None
Non Operational Cells or Phases (Any cell or phases that have a final engineered cap agreed in accordance with condition 2.6)				
MEPP	pH, EC, total alkalinity, ammoniacal nitrogen, Chloride, COD, BOD, cadmium, chromium, copper, lead, nickel, iron, arsenic, magnesium, potassium, total sulphates, calcium, sodium, zinc, manganese,	Annually	At leachate extraction points as listed in table S3.1 unless otherwise agreed in writing through an MEPP. As specified in Environment Agency Guidance LFTGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), <u>risk assessments for your environmental permit (www.gov.uk)</u> , or such other subsequent guidance as may be agreed in writing with the Environment Agency.	None
MEPP	Hazardous substances	Once every four years		
MEPP	Depth to base (mAOD)	Annually		
Phase 10 recovery area				
4 in-waste monitoring points in Phase 10 area following installation in accordance with conditions 2.7.5 – 2.7.10.	Leachate level (mAOD)	Monthly	As specified in Environment Agency Guidance LFTGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), <u>risk assessments for your environmental permit (www.gov.uk)</u> , or such other subsequent guidance as may be agreed in writing with the Environment Agency	None

Table S3.12 Surface water – other monitoring requirements				
Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
MEPP	Ammoniacal nitrogen Chloride Suspended Solids Visual Oil and Grease pH electrical conductivity	Monthly	Spot sample	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003) and Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, (Annex J3, version 2.1, Dec 2011) or such other subsequent guidance as may be agreed in writing with the Environment Agency.

Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitoring data		
Parameter	Reporting period *	Period ends
Leachate As specified by schedule 3, table S3.1	Every 3 months	31 March, 30 June, 30 September, 31 December
Point source emission to air As specified by schedule 3, table S3.2	Every 12 months	31 December
Point source emission to water (other than sewer) As specified by schedule 3, table S3.3	Every 3 months	31 March, 30 June, 30 September, 31 December
Emission to groundwater quality As specified by schedule 3, table S3.4	Every 3 months	31 March, 30 June, 30 September, 31 December
Landfill gas in external monitoring boreholes As specified by schedule 3, table S3.5	Every 3 months	31 March, 30 June, 30 September, 31 December
Point source emission to sewer, effluent treatment plant, tankering or other off site transfer As specified by schedule 3, table S3.6	Every 3 months	31 March, 30 June, 30 September, 31 December
Particulate matter in ambient air. As required by schedule 3, table S3.7	Every 6 months	30 June, 31 December
Emission of landfill gas from capped surfaces As specified by schedule 3, table S3.8	Every 12 months	31 December
Other groundwater monitoring As specified by schedule 3, table S3.9	Every 3 months	31 March, 30 June, 30 September, 31 December
Other Landfill gas monitoring As specified by schedule 3, table S3.10	Every 3 months	31 March, 30 June, 30 September, 31 December
Trace gas monitoring	Every 12 months	31 December

Table S4.1 Reporting of monitoring data		
Parameter	Reporting period *	Period ends
Other leachate monitoring As specified by schedule 3, table S3.11	Every 12 months	31 December
Other surface water monitoring As specified by schedule 3, table S3.12	Every 12 months	31 December
* - where the reporting period is 12 months, you may submit this information as part of the 'annual report' required by condition 4.2.2.		

Table S4.2: Annual production/treatment	
Leachate: Disposed of offsite; Disposed of to any onsite effluent treatment plant; Recirculated into the waste mass.	Cubic metres/year
Landfill gas: combustion in flares; combustion in gas engines; Other methods of gas utilisation. Average methane content entering the landfill gas utilisation or treatment compound (based on the annual average of Table S3.9 monitoring) Methane generation rate (50%ile from a representative model)	Normalised cubic metres/year % methane v/v m3 /hr

Table S4.3 Performance Parameters			
Parameter	Frequency of assessment	Annual total	Unit
Energy used (including for leachate treatment)	Annually		MWh of electricity or natural gas

Table S4.4 Reporting Forms		
Media/parameter	Reporting Format	Date of Form
Leachate	Form leachate 1 or other reporting format to be agreed in writing with the Environment Agency	23/04/2013
Air	Form Air 1 or other reporting format to be agreed in writing with the Environment Agency	23/04/2013
Controlled water	Form Water 1 or other reporting format to be agreed in writing with the Environment Agency	23/04/2013
Groundwater	Form Groundwater 1 or other reporting format to be agreed in writing with the Environment Agency	23/04/2013
Landfill gas	Form LFG 1 or other reporting format to be agreed in writing with the Environment Agency	23/04/2013

Table S4.4 Reporting Forms		
Media/parameter	Reporting Format	Date of Form
Particulate matter	Form Particulate 1 or other reporting format to be agreed in writing with the Environment Agency	23/04/2013
Sewer	Form Sewer 1 or other reporting format to be agreed in writing with the Environment Agency	26/11/21
Waste Return	E-waste Return Form	-
Landfill topographical surveys and interpretation	Reporting format to be agreed in writing with the Environment Agency	-

Schedule 5 – Notification

This page outlines the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any incident or accident which significantly affects or may significantly affect the environment	
To be notified within 24 hours of detection	
Date and Time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	

(a) Notification requirements for any incident or accident which significantly affects or may significantly affect the environment	
To be notified within 24 hours of detection	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period
Leachate levels	5 days

(c) Notification requirements for the breach of permit conditions not related to limits	
To be notified within 24 hours of detection	
Condition breached	
Date, time and duration of breach	

Details of the permit breach i.e. what happened including impacts observed.	
Measures taken, or intended to be taken, to restore permit compliance.	

(d) Notification requirements in the event of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B to be supplied as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
--------------	--

Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“annually” means once every year.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“background concentration” means such concentration of that substance as is present in:

- For emissions to surface water, the surface water quality up-gradient of the site; or
- For emissions to sewer, the surface water quality up-gradient of the sewage treatment works discharge; or
- For emissions of landfill gas, the ground or air outside the site and not attributable to the site.

“cell layout drawing” means:

- (a) A drawing or drawings of the proposed new cell that illustrate(s) in sufficient detail:
 - (i) the location of the new cell on the site;
 - (ii) the proposed level (Above Ordnance Datum) of the base of the excavation;
 - (iii) the proposed finished levels of all containment and leachate drainage layers;
 - (iv) the positions of leachate management infrastructure; and
 - (v) the positions of landfill gas infrastructure (if appropriate).
- (b) A detailed written explanation of any minor design changes from the most recently approved cell that result from the new cell layout. This would include, for example:
 - (i) changes to slope length and gradient within the cell;
 - (ii) new leachate or landfill gas infrastructure construction design;
 - (iii) slope stability issues such as new basal excavation level; and/or
 - (iv) depth of waste.

“construction Proposals” means written information, at a level of detail appropriate to the complexity and pollution risk, on the design, specifications of materials selected, stability assessment (where relevant) and the construction quality assurance (CQA) programme in relation to the New Cell or Landfill Infrastructure.

“CQA Validation Report” means the final “as built” construction and engineering details of the New Cell or of the Landfill Infrastructure. It must provide a comprehensive record of the construction and must include, where relevant:

- The results of all testing required by the CQA programme - this must include the records of any failed tests with a written explanation, details of the remedial action taken, referenced to the appropriate secondary testing;
- Plans showing the location of all tests;
- “As-built” plans and sections of the works;
- Copies of the site engineer’s daily records;

- Records of any problems or non-compliances and the solution applied;
- Any other site specific information considered relevant to proving the integrity of the New Cell or Landfill Infrastructure;
- Validation by a qualified person that all of the construction has been carried out in accordance with the Construction Proposals.

“emissions to land” includes emissions to groundwater.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations 2016, SI 2016 No.1154 and words and expressions used in this permit which are also used in those Regulations have the same meanings as in those Regulations.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission or background concentration limit.

“exceeded” means that a value is above a permitted limit, or where a range of values or a minimum value is set as a permitted limit it means a value outside that range or below the minimum value, whichever is applicable.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“hazardous substances” as defined by the Environmental Permitting (England and Wales) Regulations 2016, SI 2016 No.1154, schedule 22 and listed in our Hydrogeological risk assessment guidance.

“inert waste” means waste that does not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm human health. The total leachability and pollutant content of the waste and the ecotoxicity of the leachate must be insignificant, and in particular not endanger the quality of surface water and/or groundwater

“landfill Infrastructure” means any specified element of the:

- permanent capping;
- temporary capping (i.e. engineered temporary caps not cover materials);
- leachate abstraction systems;
- leachate transfer, treatment and storage systems;
- surface water drainage systems;
- leachate monitoring wells;
- groundwater monitoring boreholes;
- landfill gas monitoring boreholes;
- landfill gas management systems;
- lining within the installation.

within the site.

“LFTGN 05” means Environment Agency Guidance for monitoring enclosed landfill gas flares.

“LFTGN 07” means Environment Agency Guidance on monitoring landfill gas surface emissions.

“LFTGN 08” means Environment Agency Guidance for monitoring landfill gas engines.

“liquids” means any liquid other than leachate within the engineered landfill containment system.

“List of Wastes” means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on

waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste, as amended from time to time.

“M2” means Environment Agency Guidance Monitoring of stack emissions to air.

“medicinal product” means any medicine licensed by the Medicines and Healthcare products Regulatory Agency (MHRA) or their predecessors under the Medicines Act 1968, section 130.

“MEPP” Monitoring and extraction point plan, required by condition 4.2.2(h) to specify extraction points and routine monitoring locations.

“new cell” means any new cell, part of a cell or other similar new area of the site where waste deposit is to commence after issue of this permit and can comprise:

- groundwater under-drainage system;
- permanent geophysical leak location system;
- leak detection layer;
- sub-grade;
- barriers;
- liners;
- leachate collection system;
- leachate abstraction system;
- separation bund/layer;
- cell or area surface water drainage system;
- side wall subgrade and containment systems;

for the New Cell.

“no impact” means that the change made to the construction process will not affect the agreed design criteria, specification or performance in a way that has a negative effect.

“pests” means Birds, Vermin and Insects.

“previous year” means the 12 month period preceding the month the annual report is submitted in.

“quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“relevant waste acceptance procedures” means the procedure for the acceptance of waste at landfills and the associated sampling and test methods specified in the Council Decision Annex (2003/33/EC, European Council of 19 December 2002).

“relevant waste acceptance criteria” means the waste acceptance criteria and the associated sampling and test methods specified in the Council Decision Annex (2003/33/EC, European Council of 19 December 2002).

‘sustainably extracted’ means where suction can be applied to the extraction wells such that a flow rate of landfill gas, with a methane content capable of either being combusted, or treated by bio-oxidation, can be extracted without increasing the risk of air ingress to the waste or inducing aerobic degradation within the waste.

‘waste code’ - See ‘List of Wastes’.

“*Waste Framework Directive*” or “*WFD*” means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means the standards included in Environment Agency Guidance for Monitoring Enclosed Landfill Gas Flares LFTGN 05 or Guidance for Monitoring Landfill Gas Engine Emissions LFTGN 08.

Where the following terms appear in the waste code list in tables S2.1, S2.2 and S2.3 they have the meaning given below:

'hazardous substance' means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008;

'heavy metal' means any compound of antimony, arsenic, cadmium, chromium (VI), copper, lead, mercury, nickel, selenium, tellurium, thallium and tin, as well as these materials in metallic form, as far as these are classified as hazardous substances;

'polychlorinated biphenyls and polychlorinated terphenyls' ('PCBs') means PCBs as defined in Article 2(a) of Council Directive 96/59/EC'.

Article 2(a) says that 'PCBs' means:

- polychlorinated biphenyls
- polychlorinated terphenyls
- monomethyl-tetrachlorodiphenyl methane, Monomethyl-dichloro-diphenyl methane, Monomethyldibromo-diphenyl methane
- any mixture containing any of the above mentioned substances in a total of more than 0,005 % by weight;

'transition metals' means any of the following metals: any compound of scandium, vanadium, manganese, cobalt, copper, yttrium, niobium, hafnium, tungsten, titanium, chromium, iron, nickel, zinc, zirconium, molybdenum and tantalum, as well as these materials in metallic form, as far as these are classified as hazardous substances;

'stabilisation' means processes which change the hazardousness of the constituents in the waste and transform hazardous waste into non-hazardous waste;

'solidification' means processes which only change the physical state of the waste by using additives without changing the chemical properties of the waste;

'partly stabilised wastes' means wastes containing, after the stabilisation process, hazardous constituents which have not been changed completely into non-hazardous constituents and could be released into the environment in the short, middle or long term

Schedule 7 – Site plan



© Crown Copyright. All rights reserved. Environment Agency, 100026380, 2021

END OF PERMIT